PTO/SB/122 (09-04)

Approved for use through 07/31/2006 OMB 0651-0035
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number CHANGE OF Application Number 10/634,759 CORRESPONDENCE ADDRESS 08-06-2003 Filing Date Application Toshiyuki Sakuma First Named Inventor Address to: Commissioner for Patents Art Unit 3627 P.O. Box 1450 Alexandria, VA 22313-1450 F. HAIDER Examiner Name Attorney Docket Number 500.43002X00

Please change the Correspondence Address for the above-identified patent application to:		
The address associated wi	th	
Customer Number:		
	24956	
OR		
☐ Firm or		
Individual Name MATTINGLY & MALUR, P.C.		
Address		
1800 Diagonal Road, Suite 370 City State Zip		
Alexandria	Virginia	22314
Country	7 ii giiii C	
Talanhana	Te	
Telephone (703) 684-1120	Fax (70)	3) 684-1157
This form cannot be used to change the data associated with a Customer Number. To change the data associated with an		
existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).		
I am the:		
Applicant/Inventor		
Assignee of record of the entire interest.		
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).		
57		
Attorney or agent of record. Registration Number 30,293.		
Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration.		
See 37 CFR 1.33(a)(1). Registration Number		
Signature		
/John R. Mattingly/		N.
Typed or Printed		
Name John R. Mattingly		
Date August 11, 2009	Telephone	(700) 004 4400
NOTE: Signatures of all the inventors or assignee of r	record of the entire interest of their	(703) 684-1120
forms if more than one signature is required, see below.		
Total of1form are submitted.		

This collection of information is required by 37 CFR 133. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Certificerfaility is governed by 30 USC 122 and 37 CFR 111 and 114. This collection is estimated to late 3 minutes to complete, enabling gathering, pressing, and any applications of the control of the co